
Earth to Sky Cannabis Prince George, BC, 1533 3rd Avenue





Proposed Location

Drawing Index

A000 Title Sheet


A001 Legends & Schedules

Main Floor Demolition & Renovation Plans

A102 Main Floor RCP

A103 Electrical & Video Surveillance Plans
A401 Interior Elevations/Barrier Free Details

issued for Permit 9, 2019 September 9, 2019



Revision Schedule

Revision Revision Revision

Date Number Description

Prince George, BC (1533 3rd Avenue)

Sky Prince (1533 !!


Earth to Sk Cannabis

SCALE:

DATE: Issue Date **FILE:** C2018-0226

DRAWN: EER

CHECKED:PR



Ceiling Le	gend
	2'x4' Suspended Ceiling
	2'x2' Suspended Ceiling
	Gypsum Board Ceiling
	2'x4' Recessed Light Fixture
	1'x4' Recessed Light Fixture
	2'x2' Recessed Light Fixture
	1'x4'/2'x4' Surface Mount Light Fixture
	Supply Air Diffuser
	Return Air Grill
	Supply Air Diffuser
	Ceiling Fan
	Return Air Grill
	Supply Air Grill
0	Recessed Light
	Large Pendant Light
	B 1 11111

Pendant Light

Chandelier Light

Ф	DUPLEX RECEPTACLE
Ф	SPLIT RECEPTACLE
Ф	RECEPTACLE - COUNTER HEIGHT 42" A.F.F.
\$ 240V	220V DUPLEX RECEPTACLE
♦ ^{GFI}	GROUND FAULT INTERRUPTER
⇔WP-GFI	WEATHER PROOF RECEPTACLE w/ GFI
\$	SINGLE POLE SWITCH
\$3	THREE WAY SWITCH
\$ ^D	DIMMER SWITCH
\$ ^{os}	OCCUPANCY SENSOR SWITCH
	INCADESCENT FIXTURE - CEILING MOUNT
Н	INCADESCENT FIXTURE - WALL MOUNT
\otimes	EXIT LIGHT
P.E.C.	PHOTO ELECTRIC CELL - CONFIRM MOUNTING LOCATION
4	REMOTE MTD. EM. HEAD
4	BATTERY PACK c/w INTEGRAL HEADS
lacksquare	BLUE DATA & WHITE DATA
•	BLUE DATA OUTLET
4	FLOOD LIGHT
S	SMOKE DETECTOR
N.L.	NIGHT LIGHT
T	THERMOSTAT (REFER TO MECH. DRAWINGS)

B.F. Washroom:

Bradley 6563 Surface Mount Soap Dispenser Bradley 2495 Lever Operated Roll Towel Dispenser Bradley 357 Waste Receptacle - Surface Mount Frost 1002SP 1 1/4"dia 48" Stainless Steel Grab Bar w/Peened Finish Bradley 5234 Toilet Tissue Dispenser Bradley 780-2436 24"x36" Mirror Bradley 9114 Robe Hook (Install on Door)

THE INTENT IS FOR EXISTING WASHROOM TO REMAIN AS IS. REPLACE ONLY AS REQUIRED. CONFIRM EXISTING ITEMS ON SITE. See Interior Elevations for locations.

Notes:

1. CONFIRM ALL DIMENSIONS ON SITE. NOTIFY UCG OF ANY DISCREPANCIES. 2. SEE SPECIFICATION PACKAGE PROVIDED BY DESIGN DISTRICT ACCESS FOR THE FOLLOWING:

PLUMBING FIXTURES LIGHT FIXTURES SECURITY BAR DESIGN & COLOUR INTERIOR FINSHES DISPLAYS

	Door Schedule												
				Door	Data			Frame Data					
			Door	Door	Dime	ensions		Jamb Wall Frame					
Mark	From Room: Name	To Room: Name	Type	Finish	Width	Height	Hardware	Frame Type	Width	Thickeness	Finish	Fire Rating	Comments
100	Exterior	Retail Area			3' - 0"	7' - 0"	d						Existing Exterior Aluminum Door
100a	Ship/ Receive	Exterior		Paint	3' - 0"	7' - 0"	d		0' - 5 3/4"	0' - 8 5/8"	Paint		Existing Exterior Door
100b	Hall	Exterior		Paint	3' - 0"	7' - 0"	d		0' - 5 3/4"	0' - 8 5/8"	Paint		Existing Exterior Door
100c	Existing Mech. Room	Exterior			3' - 0"	7' - 0"	d		0' - 5 3/4"	0' - 8 5/8"			Existing Exterior Door to Remain as is
102	Retail Area	Secure Storage Room	В	Paint	3' - 0"	7' - 0"	С	14ga Welded Steel	0' - 5 3/4"	0' - 4 15/16"	Paint		
105	B.F.Wshrm	Hall	Α	Paint	3' - 0"	7' - 0"	а	18ga Welded Steel	0' - 5 3/4"	0' - 4 1/2"	Paint		
120	Hall	Office	С	Paint	3' - 0"	7' - 0"	b	18ga Welded Steel	0' - 5 3/4"	0' - 4 7/8"	Paint		

Commission Physical Security

BC Cannabis, Gaming and Liquor

BUILDING CODE ANALYSIS

BUILDING CLASSIFICATION: NUMBER OF STORIES

SPRINKLER SYSTEM REQUIRED

FIRE ALARM SYSTEM REQUIRED

BUILDING CLASSIFICATION TYPE OF CONSTRUCTION

HAZARDOUS SUBSTANCES

BARRIER FREE ACCESSIBLE

FIRE RESISTANCE RATING:

LOAD BEARING COMPONENTS EXISTING ELECTRICAL ROOM:

INTERIOR LEASEHOLD IMPROVEMENT 1533 3rd AVENUE, PRINCE GEORGE, BC.

NUMBER OF STREETS/ACCESS ROUTES

STANDPIPE AND HOSE SYSTEM REQUIRED

SCOPE OF WORK:

HIGH BUILDING

SUITE AREAS: TOTAL SUITE AREA

DEMISING WALL:

OCCUPANT LOAD:

3.70m2/PERSON NUMBER OF STAFF

EXIT CAPACITY:

REQUIRED WIDTH

WIDTH PROVIDED

TRAVEL DISTANCE:

TRAVEL DISTANCE: EXITS PROVIDED

PROVIDED:

SITE REQUIRED WASHROOMS: REQUIRED FOR EACH SEX:

ENTRANCES PROVIDED **EXITS PROVIDED**

BARRIER FREE ENTRANCES REQUIRED BARRIER FREE ENTRANCES PROVIDED

SPACIAL SEPARATION:

AND SPATIAL SEPARATION

CAM - Network Camera M - Motion PIR and Dual Tech Detector GB - Glass Break Detector CR - Card Reader - Access Control DC - Door Contact Trex - Request to Exit

Security Requirements and Compliance

ES - Electric Strike Key - Alarm Key Pad Panic - Panic/Hold-up Button

SD - Smoke/Heat Detector Security Headend

Note: Physical Security Design meets and exceeds the AGLC

Wall Schedule

INTERIOR WALLS

NO

NO NO

D/E

NO

YES

ALL EXISTING EXPOSING BUILDING FACES TO REMAIN UNCHANGED WITH RESPECT TO LIMITING DISTANCE

EXISTING NO

260.2m2 [2,801ft2]

ENSURE 1HR FRR

ENSURE 1HR FRR

= 70 PERSONS

LESS THAN 10

1828.8MM

30M

1 UNIVERSAL

6.1MM/PERSON = 272MM

MAINTAIN EXISTING FRR

INTERIOR WALL - SECURE STORAGE

WALL FINISH - EXTERIOR OF ROOM 5/8" GYPSUM BOARD (TYPE 'X' = FURN./JAN. ROOMS) FLATTENED METAL MESH (EMMA 557-99 STYLE 3/4"-9F, NOMIMAL STRAND THICKNESS OF 0.120" w/ A DIAMOND OPENING OF 0.563" X 1.688"

16ga SHEET STEEL A1008/A1008M (COLD ROLLED)/16ga SHEET STEEL A1011/A1011M (HOT ROLLED) OR EQUIV.

3 5/8" STEEL STUDS @ 16"o.c. 5/8" GYPSUM BOARD (TYPE 'X' = FURN./JAN. ROOMS) WALL FINISH - INTERIOR OF ROOM

INTERIOR WALL - SOUND CONTROL

WALL FINISH 5/8" GYPSUM BOARD 3 5/8" STEEL STUDS @ 16"o.c. (TO u/s DECK) **ROXUL AFB INSULATION** 5/8" GYPSUM BOARD

WALL FINISH

INTERIOR WALL - ENSURE EXISTING 1 HOUR RATED

WALL FINISH 5/8" TYPE 'X' GYPSUM BOARD EXISTING STRUCTURE TO u/s DECK 5/8" TYPE 'X' GYPSUM BOARD WALL FINISH



INTERIOR WALL - EXISTING

WALL FINISH GYPSUM BOARD EXISTING STRUCTURE GYPSUM BOARD WALL FINISH





EXTERIOR WALLS


EXTERIOR WALL - Existing WALL EXTERIOR FINISH **EXISTING STRUCTURE** WALL INTERIOR FINISH

WOOD STUDS CAN BE USED IN PLACE OF STEEL

Door Type Schedule







18ga Steel Door

6mil Tempered Glass

Paint Finish

(Interior Door)



a PRIVACY SET DORMA C500 SERIES - LR LEVER - 626 FINISH **BUTTON WALL STOP** CLOSER - LCN 4040 BB HINGES (1 1/2 PAIR) SILENCERS

b KEYED LOCKSET DORMA C500 SERIES - LR LEVER - 626 FINISH **BUTTON WALL STOP** BB HINGES (1 1/2 PAIR) SILENCERS `

c KEYED STOREROOM LOCKEST DORMA C500 SERIES - LR LEVER - 626 FINISH CLOSER - LCN 4040 NRP HINGES

SILENCERS d EXISTING TO REMAIN CONFIRM CONDITION - REPLACE AS REQ'D SEE NOTES

RE-KEY AS REQUIRED

- PROVIDE ULC RATED/LABELLED HARDWARE TO ALL RATED DOORS AS PER DOOR SCHEDULE

- PROVIDE WALL STOPS FOR DOORS AS REQ'D

NOTES:

OF 1.25cm

1. CONFIRM WITH OWNER IF EXISTING DOORS, ETC. ARE TO RECEIVE NEW PAINT


2. ALL EXISTING DOORS TO REMAIN UNLESS OTHERWISE NOTED BY OWNER

3. CONFIRM EXISTING HARDWARE ON EXTERIOR DOORS ARE COMMERCIAL GRADE c/w NRP HINGES

4. DOOR 102 IS TO HAVE 16ga SHEET STEEL, HR COMMERCIAL QUALITY, ASTM A366, MATT FINISH, SHALL EXTEND 1200mm AROUND DOOR FRAME ON INSIDE OF ROOM AND ATTACH TO THE DOOR FRAME WITH SCREWS, WELDS OR RIVETS

5. ALL PERIMETER ENTRY POINTS MUST BE SECURED WITH A LOCKING DEVICE THAT PENETRATES THE DOOR FRAME A MINIMUM

6. REAR EXTERIOR DOOR TO BE 16ga METAL DOOR c/w 16ga METAL FRAME



Revision Schedule Revision | Revision | Revision Date Number Description

> σ O $o \Delta$ 7

> > **Q**

 $v \subset$ S arth to annabis

 $\overline{}$

SCALE: As indicated

DATE: Issue Date FILE: C2018-0226


DRAWN: EER CHECKED:PR


DMG NO



Revision Schedule Revision Revision Revision


Date Number Description Demolition 1 Plans Prince George, BC (1533 3rd Avenue) Main Floor I Renovation Earth to Cannabis SCALE: 1/4" = 1'-0" DATE: Issue Date FILE: C2018-0226 DRAWN: EER CHECKED:PR DMG N<u>o</u>






Revision Schedule Revision Revision Revision

Date Number Description SCALE: 1/4" = 1'-0" DATE: Issue Date FILE: C2018-0226 DRAWN: EER CHECKED:PR








Revision Schedule


Electrical & \ Surveillance












B.F.Wshrm North East Elevation
1/2" = 1'-0"

B.F.Wshrm South East Elevation

1/2" = 1'-0"

B.F.Wsrhm South West Elevation
1/2" = 1'-0"

THE INTENT IS FOR EXISTING WASHROOM TO REMAIN AS IS. REPLACE ONLY AS REQUIRED. CONFIRM EXISTING ITEMS ON SITE.



5 Section 1 A101 1/2" = 1'-0" Prince George, BC (1533 3rd Avenue) Interior Elevations/Barrier Free Details

ŷ Ky

Earth to Cannabis

SCALE: 1/2" = 1'-0"

DATE: Issue Date

FILE: C2018-0226

DRAWN: EER

CHECKED:PR

Revision Schedule

Revision Revision Revision
Date Number Description

From: Ian R J Laing
To: Holahan, Kali

Subject: RE: CN000008 / TU000053 - 1533 3rd Avenue - Summary Letter

Date: Monday, October 07, 2019 1:22:30 PM

Dear Kali & The City of Prince George,

I would like to operate a retail cannabis store at 1533 3rd Ave. The hours of operation would be 9 am to 8 pm Sunday to Wednesday and 9 am to 9 pm Thursday to Saturday. I have a couple stores open now in other towns so I am fairly comfortable with providing safe and responsible cannabis retail. I also have owned and operated a pub, restaurant and a brewery for many year along with multiple other businesses. I have been a self-employed real estate developer and investor in many businesses for the last 23 years and hold security clearances with Health Canada, BC LCRB.

One last comment, with respect I do disagree with the RCMP statement about not having the stores in the downtown core. Your populous already smokes cannabis in all areas of your town, in the core and in outlying areas. The truth is people who have been using cannabis have been doing so for a long time. All that is changing is where the consumers are purchasing the product. Legalization is the proper move and this debate is over. Locating the stores in places outside of town is not going to change the behavior, and will only make things inconvenient for the consumers. It's not a right step for the environment to make the consumers travel out of the town core to purchase a legal product. Do you force Cold Beer and Wine stores to be outside of town? This should not be part of the debate if this location is a good one or not. Forcing cannabis to the "outskirts" of town is discriminatory to cannabis users. Cannabis users and customers would want a convenient locations they can access easily near amenities where they already shop and travers daily. Not moved away from the amenities of daily life. This gives the perception of them doing something wrong and hiding this in the shadows outside of town. It's a legal product and we need to shake the discrimination of the past and move forward to the future. Hope you can appreciate these comments, as I do not feel pushing cannabis users to the outskirts of town is wrong, according to Stats Can 2nd quarter stats 18% of people in BC use Cannabis so that would be over 14,000 people in your community. https://www150.statcan.gc.ca/n1/pub/11-627-m/11-627m2019057-eng.htm

Cannabis should be treated with the same respect as liquor. You can now get liquor at the barber shop. I think having a Cannabis shop in the downtown where the customers are shopping is the appropriate place to have them.

Sincerely,

Ian Laing

100 – 388 Harbour Road Victoria, BC, V9A3S1 Ph: (250) 883 7368 ianlaingproperties.com